

MOMENTO APLICACIÓN	FORMULADO	DOSIS	ESTADO	ESPECTRO MALAS HIERBAS
Post	ACLONIFEN 30%+IMAZAMOX 2% [SC] P/V	1,2-1,35 l/ha	Vigente	H.ancha y estrecha
Post	CICLOSIDIM	2 l/ha	Vigente	H. estrecha
Post	CLETODIM 12% [EC] P/V	1-1.5 l/ha	Vigente	H. estrecha
Post	CLETODIM 18% [EC] P/V	0,7 - 1,4 l/ha	Vigente	H. estrecha
Post	CLETODIM 24% [EC] P/V	0,4-0,650 l/ha	Vigente	H. estrecha
Post	FLUAZIFOP-P-BUTIL	1 l/ha	Vigente	H. estrecha
Post	HALAUXIFEN-METIL 0,313% [EC] P/V	1 l/ha	Vigente	H.ancha y estrecha
Post	IMAZAMOX 2,5% [SL] P/V	1,5-2 l/ha	Vigente	H.ancha y estrecha
Post	IMAZAMOX 4% [SL] P/V	1,25 l/ha	Vigente	H.ancha y estrecha
Post	IMAZAMOX 8% [SL] P/V	0,375-0,425 l/ha	Vigente	H.ancha y estrecha
Post	TRIBENURON METIL 50% P/P	23-37 g/ha	Vigente	H.ancha
Post precoz	PROPAQUINAFOP	0,75-1,2 l/ha	Vigente	H. estrecha
Post precoz	QUIZALOFOP-P-ETIL 10% [EC] P/V	0,5-0,75 L/ha	Vigente	H. estrecha
Preemergencia	ACLONIFEN 60% [SC] P/V	2,5-4 l/ha	Vigente	H. ancha y alguna estrecha
Preemergencia	METOBROMURON	2-3 l/ha	Vigente	H. ancha y estrecha
Preemergencia	OXIFLUORFEN 24% [EC] P/V	0.5-1 l/ha	Vigente	H. ancha y alguna estrecha
Preemergencia	PENDIMETALINA 33% [EC] P/V	4-6 l/ha	Vigente	H. ancha y alguna estrecha
Preemergencia	PENDIMETALINA 40% [CS] P/V	3-5 l/ha	Vigente	H. ancha y alguna estrecha
Preemergencia	PENDIMETALINA 45,5% [CS] P/V	2,5-3 l/ha	Vigente	H.ancha y estrecha
Post temprana	QUIZALOFOP-P-TEFURIL 4% [EC] P/V	1,75-2,2 L/ha (Cynodon dactylon) y (Sorghum halepense) 0,5-2,2 L/ha Dicotiledóneas anuales y Monocotiledóneas anuales.	Vigente	H. ancha y estrecha

ACLONIFEN 30% + IMAZAMOX 2% [SC] P/V

Amaranthus blitoides (Bledo o sabia)

Centaurea diluta (Centaurea)

Chenopodium album (Cenizo)

Datura stramonium (Estramonio)

Digitaria sanguinalis (pata de gallina)

Diplotaxis sp. (Jaramago)

Echinochloa crus-galli (Cola de caballo)

Amaranthus retroflexus (Amaranto, Bledo)

Mercularis annua

Orobanche sp. (jopo)

Panicum miliaceum

Portulaca oleracea (Verdolaga)

Setaria sp. (Almorejo)


Sinapis arvensis Sinapis sp. (Mostaza)

Solanum nigrum (Tomatito)

Sorghum sp.(Cañota)

Xanthium strumarium (Cadillo)

ACLONIFEN 60% [SC] P/V
Amaranthus blitoides (Bledo o sabia)
Amaranthus retroflexus (Amaranto o bleado)
Capsella bursa-pastoris (Bolsa de pastor)
Chenopodium album (Cenizo)
Chenopodium sp. (Chenopodium)
Digitaria sanguinalis (Pata de gallina)
Diploaxis erucoides (Ravaniza blanca)
Diploaxis sp.(Jaramago)
Galium aparine (Amor del hortelano)
Lamium sp. (Ortigas muertas)
Matricaria chamomila (Manzanilla)
Papaver rhoeas (Ababol o amapola)
Poa annua (Pelosa)
Raphanus sp .(Rábano salvaje)
Setaria sp. (Almorejo)
Setaria verticillata
Sinapis arvensis Sinapis sp. (Mostaza)
Stellaria media (Pamplina)
Stellaria sp. (Hierba gallinera)
Sisymbrium sp.(Matacandil o mostacilla)
Sonchus sp. trinitaria (Viola arvensis)
Veronica sp.



CICLOSIDIM
-
Agropyrum sp.
Sorghum sp. (Cañota)
Cynodon sp (Gramma)



CLETODIM 12% / 18% / 24% [EC] P/V
Alopecurus myosuroides(Cola de zorra)
Avenas (avena loca)
Bromus spp. (Bromos)
Echinochloa crus-galli (Cola de caballo)
Hordeum Murinum (Cebada ratonera)
Hordeum vulgare (Cebada cultivada)
Lolium spp. (Vallico)
Phalaris Paradoxa (Alpiste)
Poa Annuua (Poa annual)
Poa Pratensis (Poa pratense)
Setaria viridis(Almoralejo)
Triticum spp. (Trigo)



FLUAZIFOP-P-BUTIL
Alopecurus myosuroides (Cola de zorra)
Avenas (avena loca)
Bromus spp. (Bromos)
Digitaria sanguinalis (pata de gallina)
Lolium spp. (Vallico)
Phalaris Paradoxa (Alpiste)
Echinochloa crus-galli (Cola de caballo)
Setaria sp. (Almorejo)
Hordeum (Ceballina)
Panicum (panico)
Rebrotos cereales
Cynodon sp (grama)
Sorghum sp.(Cañota)
Pasparum distichum (Gramas de agua)

HALAUXIFEN-METIL 0,313% [EC] P/V

Abutilon theophrasti (Abutilon)

Chenopodium album (Cenizo)

Xanthium strumarium (Cadillo)

Lamium amplexicaule (Conejito)

Fumaria officinalis (Fumaria)

Ridolfia segetum (Neldo)

Galium aparine (Amor del hortelano)

Papaver rhoeas (Amapolas)

Amaranthus retroflexus (Mocopavo)

Solanum nigrum (Tomatito)

Xanthium spinosum (Cadillo)

Datura stramonium (Estramonio)


Polygonum aviculare (Ciennudos)

Sonchus spp (cerraja)

Picris echioides (Azota Cristo)

Anagallis arvensis (Mujares)

Anthemis arvensis (Manzanilla)

A background image of a sunflower field under a blue sky with light clouds. The sunflowers are in various stages of bloom, with bright yellow petals and dark brown centers. The field extends into the distance, creating a sense of depth.


IMAZAMOX 2,5% / 4% / 8% [SL] P/V
Polygonum aviculare (Ciennudos)
Solanum nigrum (Tomatito)
Stachys annua (Ortiga hedionda)
Xanthium strumarium (Cadillo)
Diptotaxis muralis (Jaramago)
Anagallis arvensis (Murajes)
Datura stramonium (Estramonio)
Heliotropium europaeum (alacranera, malgirasol)
Kickxia spuria (Verónica hembra)
Echinochloa crus-galli (Cola de caballo)
Orobanche sp. (jopo)

METOBROMURON
Abrutlon theophrasti (Abrutlón)
Amaranthus retroflexus (Amaranto, Bledo)
Ambrosia artemisiifolia (Artemisa)
Atriplex patula (Armuelle)
Capsella bursa-pastoris (bolsa de pastor)
Chenopodium album (Cenizo)
Chenopodium hybridum
Datura stramonium (Estramonio)
Galinsoga parviflora (Trévol Salvaje)
Hibiscus trionum (Aurora)
Mercurialis annua
Polygonum aviculare (Cien nudos)
Polygonum convolvulus
Polygonum persicaria
Portulaca oleracea (Verdolaga)
Senecio vulgaris
Solanum nigrum (Tomatito)
Stachys arvensis (Hierba de gato)
Stellaria media (Pamplina)
Veronica persica
Xanthium strumarium (Cadillo)
Digitaria sanguinalis (Pata de gallina)
Echinochloa crus-galli (pata de gallo)
Panicum dichotum (Almurejo)
Poa annua (Poa)
Setaria species (Pamplina)



OXIFLUORFEN 24% [EC] P/V
Abutilon theophrasti (Abutilón)
Sinapis arvensis(Mostaza de campo)
Raphanus raphanistrum (Rábano salvaje)
Chenopodium album (Cenizo)
Galisoga parviflora (Guascas)
Amarantus retroflexus (Bledo)
Datura stramonium (Estramonio)
Solanum nigrum (Tomatito)
Veronica ssp (Verónica tipos)
Setaria viridis (Almorejo)
Lamium purpureum (Ortiga muerta)
Capsella bursa- pastoris (Bolsa de pastor)
Galium aparine (Apegaloso)
Galium tricornis (Galio de tres flores)
Lathyrus ssp. (Orobo tipos)
Matricaria inodora (Manzanilla)
Fallopia convulvulus (Polígono trepador)
Portulaca oleracea (Verdolaga)
Xanthium strumarium (Cadillo)
Echinochloa crus- galli (Mijera)
Hibiscus trionum (Malva vejigosa)

PENDIMETALINA 33% / 40% / 45.5% [EC] [CS] P/V
Papaver Rhoeas (Amapola)
Phalaris paradoxa (Alpiste)
Polygonum aviculare (Poligonum)
Alopecurus myosuroides (Cola de zorra)
Viola
Verónica spp
Amaranthus blitoides (bledo o sabia)
Galium aparine (Apegaloso)
Lamium sp. (ortigas muertas)
Solanum nigrum (Tomatito)
Sinapis arvensis Sinapis sp (mostaza)
Tribulus terrestris
Urtica (Ortiga)
Alopecurus myosuroides(Cola de zorra)
Digitaria sanguinalis (pata de gallina)
Echinochloa crus- galli (Mijera)
Lolium spp
Phalaris (Alpiste)
Setaria species (Pamplina)

A close-up photograph of a sunflower in the foreground, with a field of many other sunflowers in the background under a blue sky with light clouds. The sunflower in the foreground is in sharp focus, showing its yellow petals and brown seed head. The background sunflowers are blurred, creating a sense of depth.

PROPAQUINAFOP

Avenas (avena loca)

Alopecurus myosuroides (Cola de zorra)

Digitaria sanguinalis (pata de gallina)

Cynodon sp (grama)

Agrotis spp



QUIZALOFOP-P-TEFURIL 4% [EC] P/V
Cynodon sp (grama)
Sorghum sp.(Cañota)
Mono-Dicotiledóneas anuales

A close-up photograph of a large sunflower in the foreground, with a field of many other sunflowers in the background under a blue sky with light clouds. The sunflower has bright yellow petals and a dark brown, textured center.

TRIBENURON METIL 50%

Dicotiledóneas



QUIZALOFOP-p-ETIL 10% p/v
Gramíneas anuales.
Gramíneas vivaces.